

www.hazalguvenlik.net



Hydraulic Arm Barrier (9 meters)

Data Sheet


www.hazalguvenlik.net

www.hazalguvenlik.net

Hydraulic Arm Barrier (9000 mm)



DRIVE	Hydraulic
DRIVE POWER	Min 10 Bars / Max 80 Bars
BARRIER DIMENSIONS	1100X700X600
DURABILITY	3 MM STEEL SHEET
PROTECTION COATING	GALVANIZED ELECTROSTATIC OVEN PAINT (Yellow)
ARM MOVEMENT MECHANISM	HYDRAULIC PISTON
ARM DIMENSIONS	9000 MM 4 – 13 sn STEEL - ALUMİNUM
MOTION ARM GRIP	BEARING, DOUBLE SIDED
POWER SUPPLY	230 VAC / 50/60 Hz.
CONSUMPTION	750 W
PROTECTION CLASS	IP 65
CONTROL PANEL	PLC,Programmeable for Integration With Various Systems
SAFETY SENSOR	PHOTOCELL
OPERATION TEMPERATURES	+ 70 °C / - 15 °C
WORKING FREQUENCY	Heavy Duty With 2000 / Day Move Movement
MANUAL OPERATION	Ascenting and Descending with Manual Hand Pump
OPERATION	Compatible With any king of Standart Interface , Button (standard) Remote Control , RFID , Camera , Proximity Card (optional)
HYDRAULIC OIL	No 46
HYDRAULIC PİPES	18/1,5 Rekor - 3/8 Çap, 180 Bar Max Pressure ,
ARMREST	1100 MM STEEL FORK LEG (optional)
CERTIFICATION	CE , ISO 9001 : 2008
WARRANTY	1 Years
ACCESORIES	Oil Level and Temperature Indicator,Manometer, (Standard) Traffic Lights,Flashing Ling, Siren,Warning Sing, (optional)



www.hazalguvenlik.net

www.hazalguvenlik.net



Doğuş Mah Ballıbaba Sok No : 67/3 K.Esat / Çankaya / ANKARA

Tif : + 90 312 478 2028 – + 90 312 482 0484

www.hazalguvenlik.net - info@hazalguvenlik.net

www.hazalguvenlik.net